# <u>Tiger</u> <u>Product Catalogue</u>





# <u>Tiger GmbH</u>

Since over 30 years we manufacture highest ceramic qualities for the casting of **Platinum**-, **Gold**-, **Palladium**-, **Steel**- and **Titanium** alloys. TIGER GmbH

Tiger GmbH

Nr Spatialts In der

Ideated Verschaft

With ongoing enlargements and adaptions of our assortment we ensure a reliable delivery to our customers. Highest qualities as well as solution-oriented innovationes make the **company TIGER** to a **strong partner**.



WE WORK FOR YOUR SATISFACTION!

# **Table of contents**

Ceramic	P. 4 - 38
ZrO Ceramic	P. 39 - 39
Graphite	P. 40 - 62
Clay Graphite / SiC	P. 63 - 63
Investment Powder	P. 64 - 65
Wax	P. 66 - 67
Resin	P. 68 - 68
Casting Equipment	P. 69 - 71

#### <u>Degussa</u>



Description		
Tiger Item No.:		5000
Original Item No.:	100	Universal
Machine Manufacturer	1	Degussa
	Calant II in	
Sizes in mm	In Call	610
Height:		46
Length:	E B	72
Width:		57
Ø Spout Opening:	E REDIN	8

#### Erscem







Description		
Tiger Item No.:		6503
Original Item No.:	100	C3
Machine Manufacturer	1	Erscem
	Calific II -	
Sizes in mm	the all	
Height:		124
Ø Top:	E P	68
Ø Buttom:		57
Ø Spout Opening:	1 Rate	13

Description	
Tiger Item No.:	6522
Original Item No.:	C 2 (shortened)
Machine Manufacturer	Erscem
Sizes in mm	
Height:	80
Ø Тор:	68
Ø Buttom:	60
Ø Spout Opening:	14

Description	
Tiger Item No.:	6523
Original Item No.:	C3 (shortened)
Machine Manufacturer	Erscem
Sizes in mm	
Height:	100
Ø Тор:	68
Ø Buttom:	57
Ø Spout Opening:	13







Description		
Tiger Item No.:		5101
Original Item No.:	100	A100.233
Machine Manufacturer	A STR	Galloni
	Calific and the	
Sizes in mm	In all	
Height:		73
Ø Top:	E P	44
Ø Buttom:		32
Ø Spout Opening:	A ROM	7

Description	
Tiger Item No.:	5102
Original Item No.:	A100.398
Machine Manufacturer	Galloni
Sizes in mm	
Height:	74
Ø Тор:	41
Ø Buttom:	32
Ø Spout Opening:	8

Description	
Tiger Item No.:	5103
Original Item No.:	/
Machine Manufacturer	Galloni
Sizes in mm	
Height:	67
Ø Тор:	44
Ø Buttom:	31
Ø Spout Opening:	7







Description		
Tiger Item No.:		5112
Original Item No.:	1	1
Machine Manufacturer	A STR	Galloni
Sizes in mm	The all	
Height:		116
Ø Тор:	E B	70
Ø Buttom:		51
Ø Spout Opening:	1 261	9

Description	
Description	
Tiger Item No.:	5113
Original Item No.:	A100.512
Machine Manufacturer	Galloni
Sizes in mm	
Height:	82
Ø Тор:	52
Ø Buttom:	38
Ø Spout Opening:	10

Description	
Tiger Item No.:	5138
Original Item No.:	A100.496
Machine Manufacturer	Galloni
Sizes in mm	
Height:	81
Ø Тор:	51
Ø Buttom:	41
Ø Spout Opening:	9







Description		
Tiger Item No.:		5139
Original Item No.:	1	A100.634
Machine Manufacturer	1	Galloni
Sizes in mm	1 all	
Height:		82
Ø Top:	E B	51
Ø Buttom:		42
Ø Spout Opening:	1 ROW	11

Description	
Tiger Item No.:	5150
Original Item No.:	A100.559
Machine Manufacturer	Galloni
Sizes in mm	
Height:	63
Ø Тор:	43
Ø Buttom:	32
Ø Spout Opening:	11

Description	
Tiger Item No.:	5160
Original Item No.:	A100.650
Machine Manufacturer	Galloni
Sizes in mm	
Height:	90
Ø Тор:	90
Ø Buttom:	71
Ø Spout Opening:	11





Description		
Tiger Item No.:		6522
Original Item No.:		A100.649
Machine Manufacturer	1	Galloni
Sizes in mm	1 all	
Height:		80
Ø Тор:	E B	68
Ø Buttom:		60
Ø Spout Opening:	M RANK	14

Description	
Tiger Item No.:	6523
Original Item No.:	A100.652
Machine Manufacturer	Galloni
Sizes in mm	
Height:	100
Ø Тор:	68
Ø Buttom:	57
Ø Spout Opening:	13

#### <u>Heraeus</u>



Description		
Tiger Item No.:		6356
Original Item No.:		/
Machine Manufacturer	A STR	Heraeus
Sizes in mm	the all	6413
Height:		72
Ø Top:	E B	42
Ø Buttom:		35
Ø Spout Opening:	E RAN	9

#### <u>Hot Platinum</u>







Description		
Tiger Item No.:		5201
Original Item No.:	A A	CRU-C-0011
Machine Manufacturer	1	Hot Platinum
	Cal Breil -	
Sizes in mm	1 Call	
Height:		104
Ø Top:	E B	82
Ø Buttom:		59
Ø Spout Opening:	1 Rath	

Description	
Tiger Item No.:	5305
Original Item No.:	CRU-C 0005
Machine Manufacturer	Hot Platinum
Sizes in mm	
Height:	83
Ø Тор:	60
Ø Buttom:	44
Ø Spout Opening:	10

Description	
Tiger Item No.:	6150
Original Item No.:	/
Machine Manufacturer	Hot Platinum
Sizes in mm	
Height:	62
Ø Top:	44
Ø Buttom:	32
Ø Spout Opening:	7


#### <u>Hot Platinum</u>



Description		
Tiger Item No.:		8250
Original Item No.:	100	CRU-C 0006
Machine Manufacturer		Hot Platinum
Sizes in mm	1 Call	6413
Height:		112
Ø Top:	E P	53
Ø Buttom:		42
Ø Spout Opening:	1 Rate	9

#### Lindner







Description		
Tiger Item No.:		6600
Тур:	100	HLS 1,5
Machine Manufacturer	A STR	Lindner
	Calification in	
Sizes in mm	The all	
Height:		100
Ø Top:	E P	35
Ø Buttom:		35
Ø Spout Opening:	A REAL	27

Description	
Tiger Item No.:	6602
Тур:	HLS 2,0
Machine Manufacturer	Lindner
Sizes in mm	
Height:	130
Ø Тор:	38
Ø Buttom:	38
Ø Spout Opening:	33,5

Description	
Tiger Item No.:	6610
Тур:	HLS 1,5
Machine Manufacturer	Lindner
Sizes in mm	
Height:	98
Ø Тор:	34,5
Ø Buttom:	34
Ø Spout Opening:	26

#### <u>Lindner</u>



Description		
Tiger Item No.:		6601
Тур:		HLS 1,5
Machine Manufacturer		Lindner
	0.1537	anne in F
Sizes in mm		
Height:		41
Ø Top:	E B	30
Ø Buttom:		42
Ø Spout Opening:		22

#### <u>Linn</u>







Description		
Tiger Item No.:		5700
Original Item No.:	1	SKQ-1
Machine Manufacturer	1 Miles	Linn
Sizes in mm	The start	
Height:		117
Ø Top:	23	63
Ø Buttom:		45
Ø Spout Opening:	A ROLL	8

Description	
Tiger Item No.:	5710
Original Item No.:	DKV-2
Machine Manufacturer	Linn
Sizes in mm	
Height:	71,5
Ø Тор:	38
Ø Buttom:	38
Ø Spout Opening:	7

Description	
Tiger Item No.:	5725
Original Item No.:	/
Machine Manufacturer	Linn
Sizes in mm	
Height:	102
Ø Тор:	64
Ø Buttom:	56
Ø Spout Opening:	13

#### <u>Linn</u>





Description		
Tiger Item No.:		5748
Original Item No.:	1	1
Machine Manufacturer	1 STR	Linn
Sizes in mm	1 Call	649
Height:		116
Ø Тор:	E B	62
Ø Buttom:		62
Ø Spout Opening:	1 RATE	11

Description	
Tiger Item No.:	5761
Original Item No.:	DK 2
Machine Manufacturer	Linn
Sizes in mm	
Height:	77
Ø Тор:	40
Ø Buttom:	36
Ø Spout Opening:	10

#### <u>Manfredi</u>







Description		
Tiger Item No.:		5201
Original Item No.:	100	Y Pt 100
Machine Manufacturer	A STR	Manfredi
Sizes in mm	In all	
Height:		104
Ø Top:	E P	82
Ø Buttom:		59
Ø Spout Opening:	REAL	/

Description	
Tiger Item No.:	5245
Original Item No.:	Y Pt 35
Machine Manufacturer	Manfredi
Sizes in mm	
Height:	76
Ø Тор:	58
Ø Buttom:	34
Ø Spout Opening:	8,5

Description	
Tiger Item No.:	5246
Original Item No.:	Y Pt 15
Machine Manufacturer	Manfredi
Sizes in mm	
Height:	72
Ø Тор:	45
Ø Buttom:	34
Ø Spout Opening:	6

#### <u>Manfredi</u>



Description		
Tiger Item No.:		5252
Original Item No.:	100	C 15
Machine Manufacturer	1 STA	Manfredi
Sizes in mm	I Called	
Height:	12-11-12-1	65
Ø Top:	E B	48
Ø Buttom:		40
Ø Spout Opening:	A ROW	8

#### <u>Saed</u>







Description		
Tiger Item No.:		6001
Original Item No.:	1	1
Machine Manufacturer	A STR	Saed
Sizes in mm	the all	
Height:		69
Ø Тор:	23	37
Ø Buttom:		32
Ø Spout Opening:	A ROLL	8

Description	
Tiger Item No.:	6002
Original Item No.:	/
Machine Manufacturer	Saed
Sizes in mm	
Height:	76
Ø Тор:	50
Ø Buttom:	43
Ø Spout Opening:	10

Description	
Tiger Item No.:	6003
Original Item No.:	/
Machine Manufacturer	Saed
Sizes in mm	
Height:	92
Ø Тор:	50
Ø Buttom:	43
Ø Spout Opening:	8

#### <u>Saed</u>



Description		
Tiger Item No.:		6004
Original Item No.:	1	/
Machine Manufacturer	A STR	Saed
Sizes in mm	the all	
Height:		107
Ø Top:	E B	51
Ø Buttom:	A DATE	41
Ø Spout Opening:	M RANK	9

#### **Schultheiss**





Description		
Tiger Item No.:		5501
Original Item No.:	1	1
Machine Manufacturer	A STR	Schultheiss
Sizes in mm	1 all	
Height:		87
Ø Top:	E B	41
Ø Buttom:		39
Ø Spout Opening:	E RAN	/

Description	
Tiger Item No.:	5502
Original Item No.:	/
Machine Manufacturer	Schultheiss
Sizes in mm	
Height:	89
Ø Тор:	54
Ø Buttom:	52
Ø Spout Opening:	

Description	
Tiger Item No.:	5503
Original Item No.:	PPC100
Machine Manufacturer	Schultheiss
Sizes in mm	
Height:	100
Ø Тор:	54
Ø Buttom:	52
Ø Spout Opening:	/

<u>Seit</u>



Description		
Tiger Item No.:		5305
Original Item No.:	100	1
Machine Manufacturer	ST h	Seit
	Calific il in	
Sizes in mm	E.C. aller	645
Height:		83
Ø Тор:	E B	60
Ø Buttom:		44
Ø Spout Opening:	M RANK	10

#### <u>Tannabe</u>





	6801
A A	1
1	Tanabe
0.132	
A Call	
	80
2P	52
	42
A RADIE	7

Description	
Tiger Item No.:	6803
Original Item No.:	/
Machine Manufacturer	Tanabe
Sizes in mm	
Height:	80
Ø Top:	52
Ø Buttom:	42
Ø Spout Opening:	7







Description		
Tiger Item No.:		8008
Fit:	1	MC 100
Machine Manufacturer	1 Miles	/
	C-132	
Sizes in mm		64.9
Height:		93
Ø Top:	E B	61
Ø Buttom:		42
Ø Spout Opening:	A REAL	10

Description	
Tiger Item No.:	8010
Fit:	MC 100
Machine Manufacturer	
Sizes in mm	
Height:	108
Ø Тор:	56
Ø Buttom:	40
Ø Spout Opening:	10

Description	
Tiger Item No.:	8052
Fit:	MC 15
Machine Manufacturer	/
Sizes in mm	
Height:	63
Ø Тор:	44
Ø Buttom:	32
Ø Spout Opening:	9







Description		
Tiger Item No.:		8038
Original Item No.:	1	1
Machine Manufacturer	A STR	
Sizes in mm	1 Call	
Height:		78
Ø Top:	E B	50
Ø Buttom:		43
Ø Spout Opening:	1 ROM	10

Description	
Tiger Item No.:	8039
Original Item No.:	/
Machine Manufacturer	
Sizes in mm	
Height:	78
Ø Тор:	50
Ø Buttom:	43
Ø Spout Opening:	10

Description	
Tiger Item No.:	8047
Original Item No.:	/
Machine Manufacturer	/
Sizes in mm	
Height:	86
Ø Тор:	41
Ø Buttom:	35
Ø Spout Opening:	8







Description		
Tiger Item No.:		8049
Original Item No.:	1	1
Machine Manufacturer	A STR	
Sizes in mm	the all	
Height:		78
Ø Тор:	E B	39
Ø Buttom:		35
Ø Spout Opening:	1 ROW	9

Description	
Tiger Item No.:	8050
Original Item No.:	/
Machine Manufacturer	
Sizes in mm	
Height:	112
Ø Тор:	53
Ø Buttom:	42
Ø Spout Opening:	9

Description	
Tiger Item No.:	8053
Original Item No.:	/
Machine Manufacturer	/
Sizes in mm	
Height:	78
Ø Top:	45
Ø Buttom:	34
Ø Spout Opening:	8







Description		
Tiger Item No.:		8054
Original Item No.:	1	1
Machine Manufacturer	1	/
Sizes in mm	1 Call	
Height:		57
Ø Top:	E B	38
Ø Buttom:		32
Ø Spout Opening:	1 RATE	7

Description	
Tiger Item No.:	8055
Original Item No.:	/
Machine Manufacturer	
Sizes in mm	
Height:	61
Ø Тор:	44
Ø Buttom:	32
Ø Spout Opening:	6

Description	
Tiger Item No.:	8139
Original Item No.:	/
Machine Manufacturer	/
Sizes in mm	
Height:	78
Ø Тор:	51
Ø Buttom:	43
Ø Spout Opening:	9







Description		
Tiger Item No.:		8150
Original Item No.:		1
Machine Manufacturer	1	/
	04372	
Sizes in mm	The all	
Height:		112
Ø Тор:	E P	53
Ø Buttom:		42
Ø Spout Opening:	E RANK	9

Description	
Tiger Item No.:	8250
Original Item No.:	/
Machine Manufacturer	
Sizes in mm	
Height:	112
Ø Тор:	53
Ø Buttom:	42
Ø Spout Opening:	9

Description	
Tiger Item No.:	8339
Original Item No.:	/
Machine Manufacturer	/
Sizes in mm	
Height:	78
Ø Top:	51
Ø Buttom:	43
Ø Spout Opening:	9







Description		
Tiger Item No.:		90012180
Туре:	1	tip / sidehole
Machine Manufacturer:	1	/
	Californi -	
Sizes in mm		
Height:		180
Ø Top:	L'A	12
Ø Buttom:		12
Ø Hole:	1 Rath	4/2

Description	
Tiger Item No.:	91012165
Туре:	tip
Machine Manufacturer:	
Sizes in mm	
Height:	165
Ø Тор:	12
Ø Buttom:	12
Ø Hole:	

Description	
Tiger Item No.:	91012180
Туре:	tip
Machine Manufacturer:	/
Sizes in mm	
Height:	180
Ø Top:	12
Ø Buttom:	12
Ø Hole:	/







Description		
Tiger Item No.:		91612205
Туре:	1	tip
Machine Manufacturer:	A STR	/
	Cale to a la	
Sizes in mm	The allo	
Height:		205
Ø Top:	2 B	12
Ø Buttom:		12
Ø Hole:	READING	6 / 185

Description	
Tiger Item No.:	92012166
Туре:	flat
Machine Manufacturer:	
Sizes in mm	
Height:	166
Ø Тор:	12
Ø Buttom:	12
Ø Hole:	

Description	
Tiger Item No.:	92612166
Туре:	flat / hole
Machine Manufacturer:	/
Sizes in mm	
Height:	166
Ø Тор:	12
Ø Buttom:	12
Ø Hole:	continuous

#### <u>Topcast</u>



Description		
Tiger Item No.:		5245
Original Item No.:	1	1
Machine Manufacturer	A STR	Topcast
		anne site
Sizes in mm	1 Call	64131
Height:		76
Ø Тор:	E B	58
Ø Buttom:		34
Ø Spout Opening:	1 261	8,5

#### <u>Ultraflex</u>







Description		
Tiger Item No.:		5138
Original Item No.:	1	2DET-015-000-KF
Machine Manufacturer	No. 1	Ultraflex
	C-1-24	1
Sizes in mm		
Height:	1.1	81
Ø Тор:	K A	51
Ø Buttom:		41
Ø Spout Opening:	Le Rain	9

Description	
Tiger Item No.:	5305
Original Item No.:	2DET-017-000-KD
Machine Manufacturer	Ultraflex
Sizes in mm	
Height:	83
Ø Top:	60
Ø Buttom:	44
Ø Spout Opening:	10

Description	
Tiger Item No.:	6004
Original Item No.:	2DET-16-000-KM
Machine Manufacturer	Ultraflex
Sizes in mm	
Height:	107
Ø Top:	51
Ø Buttom:	41
Ø Spout Opening:	9

#### <u>Ultraflex</u>



Description		
Tiger Item No.:		5922
Original Item No.:		2DET-016-000-KO
Machine Manufacturer	No. In	Ultraflex
Sizes in mm		
Height:		142
Ø Top:	E A	67
Ø Buttom:		67
Ø Spout Opening:		/

#### Wesco





Description		
Tiger Item No.:		6700
Original Item No.:	100	Type D
Machine Manufacturer	A STR	Wesco
	Calification in	
Sizes in mm	In all	
Height:		56
Ø Top:	L'A	85
Ø Buttom:		50
Ø Spout Opening:	REAL	8

Description	
Tiger Item No.:	6710
Original Item No.:	/
Machine Manufacturer	Wesco
Sizes in mm	
Height:	35
Ø Тор:	75
Ø Buttom:	75
Ø Spout Opening:	

#### <u>Wieland</u>



Description		
Tiger Item No.:		6201
Original Item No.:	1	/
Machine Manufacturer	A STR	Wieland
Sizes in mm	1 all	
Height:		99
Ø Тор:	E B	35
Ø Buttom:		29
Ø Spout Opening:	1 ROM	4

#### <u>Yasui</u>





Description		
Tiger Item No.:		5601
Original Item No.:	1	/
Machine Manufacturer		Yasui
Sizes in mm	1 Call	
Height:		82
Ø Top:	E P	55
Ø Buttom:	I DATE	41
Ø Spout Opening:	1 Ratio	8

Description	
Tiger Item No.:	5602
Original Item No.:	/
Machine Manufacturer	Yasui
Sizes in mm	
Height:	85
Ø Top:	51
Ø Buttom:	37
Ø Spout Opening:	8

## Ceramic

### <u>Yoshida</u>





Description		
Tiger Item No.:		5801
Original Item No.:	1	YGP 5AE
Machine Manufacturer	N. E.	Yoshida
	C-PH	
Sizes in mm	The states	
Height:	/	53
Ø Тор:	K A	53
Ø Buttom:		40
Ø Spout Opening:	A REAL	

Description	and the second s
Tiger Item No.:	5802
Original Item No.:	Gapman
Machine Manufacturer	Yoshida
Sizes in mm	
Height:	43
Ø Тор:	43
Ø Buttom:	30
Ø Spout Opening:	











We have a big range of crucibles. Customized sizes and shapes are possible on request.









## **ZrO Ceramic**

Marrie Marrie	Description	Outer Diameter	Height	Inner Diameter	Height inside
Item No.:	Description	in mm	in mm	in mm	in mm
7701.33	Zirconium oxide	42	70	30	60
7702.88	Aluminum oxide	64	115	50	105
7703.38	$ZrO_2 / Al_2O_3$ Set # 0	64	135	30	60
7711.33	Zirconium oxide	56	88	38	78
7712.88	Aluminum oxide	86	103	66	93
7713.38	$ZrO_2 / Al_2O_3$ Set # 1	86	123	38	78
7721.33	Zirconium oxide	70	115	50	105
7722.88	Aluminum oxide	100	135	80	125
7723.38	$ZrO_2 / Al_2O_3$ Set # 2	100	155	50	105
7731.33	Zirconium oxide	80	142	58	128
7732.88	Aluminum oxide	110	162	90	155
7733.38	$ZrO_2 / Al_2O_3$ Set # 3	110	192	58	128
7741.33	Zirconium oxide	98	170	77	155
7742.88	Aluminum oxide	128	205	108	195
7743.38	$ZrO_2 / Al_2O_3$ Set # 4	128	235	77	155
7751.33	Zirconium oxide	122	245	98	232
7752.88	Aluminum oxide	150	300	130	290
7753.38	$ZrO_2 / Al_2O_3$ Set # 5	150	330	98	232
7761.33	Zirconium oxide	150	250	125	230
7762.88	Aluminum oxide	196	310	166	295
7763.38	ZrO <sub>2</sub> / Al <sub>2</sub> O <sub>3</sub> Set # 6	196	360	125	230







<u>Ceia</u>



Description	
Tiger Item No.:	7010
Туре:	Ceia 5 Kg
Machine Manufacturer:	Ceia
Sizes in mm	
Height:	165
Ø Тор:	121
Ø Buttom:	114
Ø Spout Opening:	12

#### <u>Galloni</u>







Description	
Tiger Item No.:	6064
Туре:	G40
Machine Manufacturer:	Galloni
Sizes in mm	
Height:	107
Ø Тор:	62
Ø Buttom:	44
Ø Spout Opening:	10

Description	
Tiger Item No.:	5170
Туре:	G1
Machine Manufacturer:	Galloni
Sizes in mm	
Height:	95
Ø Top:	60
Ø Buttom:	20
Ø Spout Opening:	8

Description	
Tiger Item No.:	5173
Туре:	G3
Machine Manufacturer:	Galloni
Sizes in mm	
Height:	124
Ø Top:	70
Ø Buttom:	22
Ø Spout Opening:	8

#### <u>Galloni</u>



Description	
Tiger Item No.:	5171
Туре:	G1
Machine Manufacturer:	Galloni
Sizes in mm	
Height:	130
Ø Тор:	13
Ø Buttom:	17
Ø Hole:	6/119
Description	
Tiger Item No.:	5174
Туре:	G3
Machine Manufacturer:	Galloni
Sizes in mm	
Height:	160
Ø Тор:	13
Ø Buttom:	17
Ø Hole:	6/149

#### <u>Indutherm</u>







Description	
Tiger Item No.:	5491
Туре:	VC 400
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	120
Ø Тор:	68
Ø Buttom:	68
Ø Spout Opening:	8

Description	
Tiger Item No.:	5490
Туре:	VC 600
Machine Manufacturer:	Indutherm
22 8 20 8 2 6 3	and the second second
Sizes in mm	
Height:	120
Ø Top:	78
Ø Buttom:	78
Ø Spout Opening:	8

Description	
Tiger Item No.:	5494
Туре:	VC 600 big
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	130
Ø Тор:	88
Ø Buttom:	88
Ø Spout Opening:	8

#### Indutherm







Description	
Tiger Item No.:	5495
Туре:	VC 650 S-Shape
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	120
Ø Тор:	78
Ø Buttom:	30
Ø Spout Opening:	8

Description	
Tiger Item No.:	5489
Туре:	Granulate
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	120
Ø Top:	78
Ø Buttom:	78
Ø Spout Opening:	2

Description	
Tiger Item No.:	5451
Туре:	MC 20
Machine Manufacturer:	Indutherm
Sizes in mm	212 3133,274
Height:	76
Ø Тор:	44
Ø Buttom:	32
Ø Spout Opening:	10

#### Indutherm





Description	
Tiger Item No.:	5423
Туре:	MU 400
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	145 / 134
Ø Graphit:	65 / 98
Ø Ceramic:	99 / 117
Ø Spout Opening:	29 / 14

Description	
Tiger Item No.:	5423L
Туре:	MU 400 (hole)
Machine Manufacturer:	Indutherm
Sizes in mm	S. S. S. S. S. S. S.
Height:	145 / 134
Ø Graphit:	65 / 98
Ø Ceramic:	99 / 117
Ø Spout Opening:	29 / 14

#### Indutherm





Description	
Tiger Item No.:	5425L
Туре:	MU 700 (hole)
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	165 / 155
Ø Graphit:	75 / 100
Ø Ceramic:	105 / 116
Ø Spout Opening:	29 / 14

Description	
Tiger Item No.:	5425D
Туре:	MU 700 (thick)
Machine Manufacturer:	Indutherm
	States and the second
Sizes in mm	
Height:	175 / 155
Ø Graphit:	57 / 100
Ø Ceramic:	105 / 116
Ø Spout Opening:	29 / 14

### <u>Indutherm</u>





Description	
Tiger Item No.:	5496
Туре:	Shape 650 big
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	180
Ø Тор:	12
Ø Buttom:	15
Ø Hole:	6/164

Description	
Tiger Item No.:	5492
Туре:	big/round
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	180
Ø Тор:	12
Ø Buttom:	15
Ø Hole:	

Description	
Tiger Item No.:	5498
Туре:	big/round + hole
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	175
Ø Тор:	12
Ø Buttom:	12
Ø Hole:	5

#### <u>Indutherm</u>





Description		
Tiger Item No.:		5493
Туре:		thin/tip
Machine Manufacturer:		Indutherm
Sizes in mm		
Height:		180
Ø Тор:	257.0	12
Ø Buttom:		12
Ø Hole:		/

Description	
Tiger Item No.:	5497
Туре:	thin/round
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	180
Ø Top:	12
Ø Buttom:	12
Ø Hole:	/

Description	
Tiger Item No.:	5499
Туре:	big/round + hole
Machine Manufacturer:	Indutherm
Sizes in mm	
Height:	180
Ø Тор:	12
Ø Buttom:	15
Ø Hole:	6/159

#### Lindner











Description	
Tiger Item No.:	HLS10-Set1
Туре:	HLS 1,0
Machine Manufacturer:	Lindner
Sizes in mm	
Height:	136
Ø Top + Buttom:	60
Ø Middle:	42,5
Ø Spout Opening:	31

Description	
Tiger Item No.:	HLS15-Set1
Туре:	HLS 1,5
Machine Manufacturer:	Lindner
Sizes in mm	
Height:	170
Ø Top + Buttom:	75
Ø Middle:	55
Ø Spout Opening:	43

Description	
Tiger Item No.:	HLS20-Set1
Туре:	HLS 2,0
Machine Manufacturer:	Lindner
Sizes in mm	
Height:	200
Ø Top + Buttom:	90
Ø Middle:	65
Ø Spout Opening:	47

#### <u>Manfredi</u>



Description	
Tiger Item No.:	6064
Туре:	G40
Machine Manufacturer:	Manfredi
Sizes in mm	
Height:	107
Ø Тор:	62
Ø Buttom:	44
Ø Spout Opening:	10

#### <u>Memco</u>




Description	
Tiger Item No.:	9001
Туре:	Tube
Machine Manufacturer:	Memco
Sizes in mm	
Height:	102
Ø Тор:	102
Ø Buttom:	101
Ø Opening:	68,5 / 71,5

#### **Neutec**



Description	
Tiger Item No.:	7901
Туре:	
Machine Manufacturer:	Neutec
Sizes in mm	
Height:	110 / 124
Ø Тор:	75
Ø Buttom:	19
Ø Spout Opening:	8



#### Saed



Description	
Tiger Item No.:	6064
Туре:	G40
Machine Manufacturer:	Saed
Sizes in mm	
Height:	107
Ø Тор:	62
Ø Buttom:	44
Ø Spout Opening:	10

#### **Schultheiss**







Description	
Tiger Item No.:	5541
Туре:	VPC 40
Machine Manufacturer:	Schultheiss
Sizes in mm	
Height:	76
Ø Top:	52
Ø Buttom:	14
Ø Spout Opening:	6

Description	
Tiger Item No.:	5561
Туре:	VPC 400
Machine Manufacturer:	Schultheiss
	and the second second
Sizes in mm	
Height:	136
Ø Тор:	74
Ø Buttom:	23
Ø Spout Opening:	7

Description	
Tiger Item No.:	5574
Туре:	/
Machine Manufacturer:	Schultheiss
Sizes in mm	
Height:	145 / 135
Ø Gaphit:	65 / 98
Ø Ceramic:	100 / 118
Ø Spout Opening:	29 / 14

### **Schultheiss**





Description	
Tiger Item No.:	5563
Туре:	big
Machine Manufacturer:	Schultheiss
Sizes in mm	
Height:	160
Ø Тор:	12
Ø Buttom:	15
Ø Hole:	/

Description	
Tiger Item No.:	5562
Туре:	flat tip + hole
Machine Manufacturer:	Schultheiss
	and a start of the
Sizes in mm	
Height:	165
Ø Тор:	12
Ø Buttom:	12
Ø Hole:	4/155

Description	
Tiger Item No.:	5542
Туре:	thin
Machine Manufacturer:	Schultheiss
Sizes in mm	
Height:	92
Ø Тор:	11
Ø Buttom:	11
Ø Hole:	6/81

### <u>Tiger</u>







Description	
Tiger Item No.:	7310
Туре:	1 Kg Crucible
Machine Manufacturer:	/
Sizes in mm	
Height:	125
Ø Тор:	64
Ø Buttom:	50
Ø Spout Opening:	8

Description	
Tiger Item No.:	7320
Туре:	2 Kg Crucible
Machine Manufacturer:	1
	and the second second
Sizes in mm	
Height:	153
Ø Top:	75
Ø Buttom:	56
Ø Spout Opening:	9

Description	
Tiger Item No.:	7330
Туре:	3 Kg Crucible
Machine Manufacturer:	/
Sizes in mm	
Height:	170
Ø Тор:	77
Ø Buttom:	62
Ø Spout Opening:	14

<u>Tiger</u>



Description	
Tiger Item No.:	7020
Туре:	/
Machine Manufacturer:	/
Sizes in mm	
Height:	111
Ø Тор:	50
Ø Buttom:	40
Ø Spout Opening:	/











Description	
Tiger Item No.:	5621
Туре:	К2
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	129
Ø Тор:	70
Ø Buttom:	23
Ø Spout Opening:	8

Description	
Tiger Item No.:	5625
Туре:	K2 next KW5
Machine Manufacturer:	Yasui
	and the second second
Sizes in mm	
Height:	113
Ø Тор:	70
Ø Buttom:	23
Ø Spout Opening:	8

Description	
Tiger Item No.:	5658
Туре:	K2 next KW8
Machine Manufacturer:	Yasui
Sizes in mm	ALCO TANKS
Height:	131
Ø Тор:	70
Ø Buttom:	23
Ø Spout Opening:	8







Description	
Tiger Item No.:	5631
Туре:	K3
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	72
Ø Тор:	65
Ø Buttom:	40
Ø Spout Opening:	8

Description	
Tiger Item No.:	5641
Туре:	К5
Machine Manufacturer:	Yasui
Sizes in mm	Real Property
Height:	90
Ø Top:	70
Ø Buttom:	20
Ø Spout Opening:	8

Description	
Tiger Item No.:	5680
Туре:	KT17
Machine Manufacturer:	Yasui
Sizes in mm	111 3113 214
Height:	130
Ø Top:	70
Ø Buttom:	17
Ø Spout Opening:	8



Description	
Tiger Item No.:	5682
Туре:	KT18
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	130
Ø Тор:	70
Ø Buttom:	23
Ø Spout Opening:	8







Description	
Tiger Item No.:	5622
Туре:	К2
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	150
Ø Тор:	13/15
Ø Buttom:	15
Ø Hole:	7/135

Description	
Tiger Item No.:	5632
Туре:	КЗ
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	133
Ø Top:	13/16
Ø Buttom:	16
Ø Hole:	7/119

Description	
Tiger Item No.:	5642
Туре:	K5
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	133
Ø Тор:	13/16
Ø Buttom:	16
Ø Hole:	7/119







Description	
Tiger Item No.:	5626
Туре:	K2 next KW5/8
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	146
Ø Тор:	13/16
Ø Buttom:	16
Ø Hole:	7/137

Description	
Tiger Item No.:	5681
Туре:	KT 17
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	152
Ø Top:	13/16
Ø Buttom:	14
Ø Hole:	7/141

Description	
Tiger Item No.:	5683
Туре:	KT 18
Machine Manufacturer:	Yasui
Sizes in mm	
Height:	149
Ø Тор:	13/16
Ø Buttom:	12
Ø Hole:	4/155

## **Clay Graphite / SiC**

Item No.:	Description	Height in mm	Outer Diameter in mm	Inner Diameter in mm
441001	A1	90	90	55
441002	A2	110	102	60
441003	A3	130	115	75
441004	A4	140	115	75
441005	A5	150	125	85
441006	A6	165	130	90
441008	A8	180	155	110
441010	A10	200	160	115
441012	A12	210	170	120
441016	A16	230	185	125
441020	A20	255	200	140
441025	A25	260	220	150
441030	A30	290	230	160
441035	A35	300	240	170
441040	A40	310	260	190
441050	A50	330	270	195
441060	A60	345	285	200
441070	A70	360	295	205
441080	A80	375	305	215
441090	A90	380	315	225
441100	A100	400	325	230
441120	A120	410	345	245
441150	A150	450	370	260
441200	A200	500	400	285
441250	A250	515	420	300
441300	A300	540	440	315
441350	A350	590	475	330
441400	A400	600	500	340
441500	A500	650	510	350
441600	A600	680	530	380
441800	A800	800	560	380





### **Investment Powder**

#### PRESTIGE OPTIMA INVESTMENT POWDER

SIRUTUS

FOR CASTING RESIN & PLASTIC PATTERNS

Prestige OPTIMA<sup>™</sup> is a significant breakthrough by Certus to develop a new generation, gypsum bonded investment that consistently provides superior, ultra smooth casting surfaces for a variety of today's pattern materials including Standard injection waxes. Also for carving waxes, resin / plastic patterns, wax based polymers and hybrid wax.

#### PRESTIGE ORO INVESTMENT POWDER

FOR CASTING PALLADIUM YELLOW & WHITE GOLD UP TO 22 CARAT

Prestige ORO<sup>™</sup> is a ultra-premium gypsum bonded investment developed and perfected for the casting of gold up to 22K. To achieve the smoothest casting surface possible, ORO<sup>™</sup> incorporates specially graded refractory ingredients along with specialized control chemicals to make it the most user-friendly investments on the market today.

#### PRESTIGE UNICAST INVESTMENT POWDER

FOR CASTING YELLOW AND WHITE GOLD UP TO 18 CARAT

Prestige UNICAST<sup>™</sup> is a premium quality gypsum bonded investment in the prestige line of investments designed for users that prefer one investment for multiple casting applications. Prestige UNICAST<sup>™</sup> is a perfect choice for casting gold up to 18k and above for producing the most complex designs in sterling and fine silver.

#### PRESTIGE SIGMA INVESTMENT POWDER

#### FOR CASTING SILVER BRASS, AND BRONZE

Prestige SIGMA<sup>™</sup> is a high value, low cost gypsum bonded investment powder developed by Certus to provide the user and industry with an investment powder engineered specially to eliminate costly surface defects associated with casting the most difficult designs and shapes cast in silver and bronze.







### **Investment Powder**



ERITUS

FOR CASTING PLATINUM AND STAINLESS STEEL

FERRO-VEST VHT is a superior two-part, high temperature investment developed to give premium results casting platinum, palladium & stainless streel alloys and metals that melt in excess of 1500 °C. - 2700 °C. Ferro-Vest VHT investment powder supplies superior, consistent results and unlike other two-part high temperature investments on the market, comes complete with special proprietary additives that eliminate air bubbles and will provide a far smoother cast surface that requires less finishing than with other brands.



#### PRESTIGE SPARKLE INVESTMENT POWDER

#### FOR CASTING STONE IN PLACE

Prestige SPARKLE<sup>™</sup> is a special application, gypsum bonded investment powder developed by Certus for casting 'Stone in Place' (wax setting). Pre-blended with special, technical grade anti-oxidizing ingredients, SPARKLE<sup>™</sup> forms a reliable, protective barrier (heat shield) that protects diamonds, semi-precious stones and cubic zirconia from clouding or burning during the burnout and casting process. Engineered with environmentally friendly control chemicals.

#### PRESTIGE-POWERCAST INVESTMENT POWDER

FOR CASTING INDUSTRIAL METALS

Prestige POWERCAST<sup>™</sup> is a gypsum bonded investment Powder for industrial casting. This was specially developed for casting industrial metals like aluminium, bronze, copper, brass and their alloys. The investment Powder is also suitable for casting sculptures.





## Wax



#### ALL SEASONS JEWELRY INJECTION WAX

"All Season" Reliability - Perfect for use all year round in all types of climates.

Reproduction - Captures sharpest details of the most intricate designs.

Smooth Finish - Provides a high gloss surface finish for superior castings that require less finishing.

Complete Fills - High fluidity fills the most complex designs.

Easy View - Any imperfections present are easy to identify for repair.

Low Shrinkage - Low injection temperature (68°C) for less shrinkage and sink in thick sections.

Versitile - One wax for everything. unique formula works perfectly for all types of patterns. Great for everything. From thick too thin to fine filigree.

Extra Long Shelf Life - Properly stored, patterns made with "All Seasons" injection wax will remain ready for use almost indefinitely.

Low Ash Content - High purity of ingredients and near zero ash content provide cleaner burnouts for a superior casting surface.



The colours blue, green and pink are in available in different packages sizes.

### Wax



Wax Tube Blue	Item No.:
Center Hole	27102
Flat Top	27132



Wax Tube Green	Item No.:
Off-Center	27111
Flat Top	27131



Carving Wax Green	Item No.:
Slices Bars	27002

## Resin





Resin	Item No.:
SLA 250 g	39025
SLA 500 g	39050
SLA 1000 g	39100

Resin	Item No.:
LCD 250 g	38025
LCD 500 g	38050
LCD 1000 g	38100

To show our quality we could provide you with some printed samples!

# **Casting Equipment**



Blasting Sand 25 Kg	Item No.:
glass round 000-050 my	41001
glass round 050-100 my	41002
glass round 070-110 my	41003
glass round 100-150 my	41004
glass round 150-200 my	41005
glass round 100-200 my	41006
glass rou <mark>nd 040-</mark> 070 my	41007

Pneumatic Knifes	Item Nr.:
edged at the middle	48006
edged at the side	48007



Alloys	Item No.:
Brass	MS67
Bronze	BR10
Tombac	Tomb

Sprue Bases	Item No.:
Ø 90 mm	42001
Ø 100 mm	42002
Ø 110 mm	42003
Ø 1 <mark>20 m</mark> m	42004

# **Casting Equipment**



0	0	0	0	0	
	0	•	0		
	C	•		5	
¢	0				
	0	•		0	


The flasks are manufactured customized. Either in V2A / V4A or in heatresistant quality. They are available as standart or perforated flasks, with or without a flunsch!

Silicon	Item No.:
5 kg rubber +	33002
0,5 Kg hardener	55002
Spray 400 ml can	34011

Surgical Blades	Item No.:
Swann Morton No.	34041
11 (100 pcs.)	

Flask Foil	Item No.:		
Flask / 90 mm Ø	FF090/170		
170 mm heig <mark>ht</mark>	11030/170		
Flask / 100 mm Ø	FF100/150		
150 mm h <mark>eight</mark>	FF100/150		
Flask / 100 mm Ø	FF100/200		
200 mm height	FF100/200		
Flask / 100 mm Ø	FF100/250		
250 mm height	FF100/230		
Flask / 110 mm Ø	FF110/200		
200 mm height	FF110/200		
Flask / 110 mm Ø	FF110/250		
250 mm height	1110/230		
Fla <mark>sk / 125 mm Ø</mark>	FF125/200		
200 mm height	FF125/200		
Flask / 125 mm Ø	FF125/350		
<mark>350 mm</mark> height	FF125/550		
<mark>Flas</mark> k / 150 mm Ø	FF150/350		
350 mm height	FF150/350		

# **Casting Equipment**



Matrix Powder	Item No.:
50 g in a plastic can	34021
250 g in a bag	34023
1000 g in a bag	34025
2000 g in a bucket	34027

Quartz Stirring Rod	Item Nr.:
10 mm x 400 mm	43001
8 mm <mark>x 4</mark> 00 mm	43002

Ceramic Glue	Item No.:
2 kg powder including bi <mark>nder</mark>	7700



STIGE

Item No.:
Accu-Sil 20
Accu-Sil 40



### Contact Information

#### Web:

www.Tiger-x.com www.Tiger-x.de

Mail:

info@tiger-x.com

#### Phone:

+49 7231 977250

